

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	33	700/133.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 18:18
L2	69	700/131.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 18:18
L3	96	700/130.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 18:18
L4	51	700/135.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 18:18
L5	438	374/44.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 18:18
L6	1765	703/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 18:18
L7	343	703/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 18:18
L8	457	703/11.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 18:18
S1	76	(textile or clothing) same ((design or pattern) with (data\$1base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 16:01

## EAST Search History

S2	1320	((thermal) with (characteristic or aspect or indicat\$4 or propert\$4 or qualities or trait)) same (textile or clothing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 15:50
S3	1	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 15:50
S4	1	((thermal) with (characteristic or aspect or indicat\$4 or propert\$4 or qualities or trait)) same (textile or clothing) and ((design or pattern) with (data\$1base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 15:59
S5	1	((thermal) with (characteristic or aspect or indicat\$4 or propert\$4 or qualities or trait)) same (textile or clothing) and ((design or pattern) same (data\$1base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 16:00
S6	14	((thermal) same (characteristic or aspect or indicat\$4 or propert\$4 or qualities or trait)) same (textile or clothing) and ((design or pattern) same (data\$1base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 16:02
S7	938	((thermal) and (characteristic or aspect or indicat\$4 or propert\$4 or qualities or trait)) and (textile or clothing) and ((design or pattern) and (data\$1base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 16:02
S8	519	((thermal) same (characteristic or aspect or indicat\$4 or propert\$4 or qualities or trait)) and (textile or clothing) and ((design or pattern) and (data\$1base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 16:03
S9	137	((thermal) same (characteristic or aspect or indicat\$4 or propert\$4 or qualities or trait)) and (textile or clothing) and ((design or pattern) same (data\$1base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 16:03
S10	6	((thermal) same (characteristic or aspect or indicat\$4 or propert\$4 or qualities or trait)) and ((textile or clothing) same ((design or pattern) same (data\$1base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 16:36

## EAST Search History

S11	8	((thermal or heat) same (characteristic or aspect or indicat\$4 or propert\$4 or qualities or trait)) and ((textile or clothing) same ((design or pattern) same (data\$1base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 16:37
S12	14	((thermal) same (characteristic or aspect or indicat\$4 or propert\$4 or qualities or trait)) same (textile or clothing) and ((design or pattern) same (data\$1base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 16:41
S13	72	700/132.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 18:18
S14	14	700/132.ccls. and (thermal or heat)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 16:41

 **PORTAL**  
USPTO

Subscribe (Full Service) Register (Limited Service, Free) Login  
**Search:** © The ACM Digital Library © The Guide  
 **SEARCH**

 [Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used thermal apparel OR clothing OR garment

Found 184 of 176,279

Sort results by   [Save results to a Binder](#)

Try an [Advanced Search](#)  
 Try this search in [The ACM Guide](#)

Display results   [Search Tips](#)

[Open results in a new window](#)

Results 1 - 20 of 184

Result page: **1** [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Relevance scale 

### 1 Smart Clothing Prototype for the Arctic Environment

J. Rantanen, J. Impiö, T. Karinsalo, M. Malmivaara, A. Reho, M. Tasanen, J. Vanhala  
 January 2002 **Personal and Ubiquitous Computing**, Volume 6 Issue 1

Publisher: Springer-Verlag

Full text available:  [pdf\(270.59 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

Continuous miniaturisation of electronic components has made it possible to create smaller and smaller electrical devices which can be worn and carried all the time. Together with developing fibre and textile technologies, this has enabled the creation of truly usable smart clothes that resemble clothes more than wearable computing equipment. These intelligent clothes are worn like ordinary clothing and provide help in various situations according to the application area. This paper describes th ...

### 2 Session 3: 3D virtual clothing: from garment design to web3d visualization and simulation

 Luca Chittaro, Demis Corvaglia

March 2003 **Proceeding of the eighth international conference on 3D Web technology**

Publisher: ACM Press

Full text available:  [pdf\(3.06 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

One of the major challenges in Computer Graphics concerns the 3D representation and physically-based simulation of garments. In our research, we are working closely with the textile industry, investigating three different classes of problems. First, we aim at developing techniques and methods for cloth simulation specifically aimed at the Web3D context. Second, we are defining a cross-application data exchange format among the different CAD systems and applications used in the textile industry, ...

**Keywords:** CAD tools for garment design, VRML/Java, XML, cross-application data exchange format for the textile industry, physically-based simulation, product visualization, virtual clothing

### 3 Three dimensional apparel CAD system

 Hidehiko Okabe, Haruki Imaoka, Takako Tomiha, Haruo Niwaya

July 1992 **ACM SIGGRAPH Computer Graphics , Proceedings of the 19th annual conference on Computer graphics and interactive techniques SIGGRAPH '92**, Volume 26 Issue 2

Publisher: ACM Press

Full text available: [pdf\(4.71 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

4 [Cloth & deformable bodies: Simulation of clothing with folds and wrinkles](#)



R. Bridson, S. Marino, R. Fedkiw

July 2003 **Proceedings of the 2003 ACM SIGGRAPH/Eurographics symposium on Computer animation SCA '03**

Publisher: Eurographics Association

Full text available: [pdf\(251.40 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Clothing is a fundamental part of a character's persona, a key storytelling tool used to convey an intended impression to the audience. Draping, folding, wrinkling, stretching, etc. all convey meaning, and thus each is carefully controlled when filming live actors. When making films with computer simulated cloth, these subtle but important elements must be captured. In this paper we present several methods essential to matching the behavior and look of clothing worn by digital stand-ins to their ...

5 [Stigma and the sensorial experience of objects: The fabric of society: a proposal to investigate the emotional and sensory experience of wearing denim clothing](#)



Fiona Jane Candy

June 2003 **Proceedings of the 2003 international conference on Designing pleasurable products and interfaces**

Publisher: ACM Press

Full text available: [pdf\(403.24 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper introduces a project that intends to utilise research methods derived from experience within Art and Design, to investigate the sensory and emotional experience of wearing denim clothing in public. The researcher will provide an explanation of context and identify the range of research methods under consideration. The project is based on the premise that as a 21st century mass-produced product, denim typifies the processes inherent within design and commercial culture. Although cultur ...

**Keywords:** denim, design, identity, jeans, material culture, society

6 [Can we get there from here? \(panel\): current challenges in cloth design, modeling and animation](#)



David E. Breen, Jeffrey W. Eischen, Michael Kass, Nadia Magnenat Thalmann, Maurizio Vecchione

August 1997 **Proceedings of the 24th annual conference on Computer graphics and interactive techniques**

Publisher: ACM Press/Addison-Wesley Publishing Co.

Full text available: [pdf\(2.03 MB\)](#) Additional Information: [full citation](#), [references](#)

7 [Large steps in cloth simulation](#)



David Baraff, Andrew Witkin

July 1998 **Proceedings of the 25th annual conference on Computer graphics and interactive techniques**

Publisher: ACM Press

Full text available: [pdf\(465.12 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** cloth, constraints, implicit integration, physically-based modeling, simulation

### 8 Robust treatment of collisions, contact and friction for cloth animation

 Robert Bridson, Ronald Fedkiw, John Anderson

July 2002 **ACM Transactions on Graphics (TOG) , Proceedings of the 29th annual conference on Computer graphics and interactive techniques SIGGRAPH '02**, Volume 21 Issue 3

Publisher: ACM Press

Full text available:  pdf(3.74 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We present an algorithm to efficiently and robustly process collisions, contact and friction in cloth simulation. It works with any technique for simulating the internal dynamics of the cloth, and allows true modeling of cloth thickness. We also show how our simulation data can be post-processed with a collision-aware subdivision scheme to produce smooth and interference free data for rendering.

**Keywords:** cloth, collision detection, collision response, contacts, kinetic friction, physically based animation, static friction

### 9 Predicting the drape of woven cloth using interacting particles

 David E. Breen, Donald H. House, Michael J. Wozny

July 1994 **Proceedings of the 21st annual conference on Computer graphics and interactive techniques**

Publisher: ACM Press

Full text available:  pdf(483.23 KB)  ps(5.47 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We demonstrate a physically-based technique for predicting the drape of a wide variety of woven fabrics. The approach exploits a theoretical model that explicitly represents the microstructure of woven cloth with interacting particles, rather than utilizing a continuum approximation. By testing a cloth sample in a Kawabata fabric testing device, we obtain data that is used to tune the model's energy functions, so that it reproduces the draping behavior of the original material. Photographs, ...

**Keywords:** Kawabata Evaluation System, cloth, drape, particle systems, physically-based modeling

### 10 Papers: managing user interaction: Clothing manipulation

 Takeo Igarashi, John F. Hughes

October 2002 **Proceedings of the 15th annual ACM symposium on User interface software and technology**

Publisher: ACM Press

Full text available:  pdf(1.45 MB)  mov(306.00 bytes)  wmv(306.00 bytes)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper presents interaction techniques (and the underlying implementations) for putting clothes on a 3D character and manipulating them. The user paints freeform marks on the clothes and corresponding marks on the 3D character; the system then puts the clothes around the body so that corresponding marks match. Internally, the system grows the clothes on the body surface around the marks while maintaining basic cloth constraints via simple relaxation steps. The entire computation takes ...

**Keywords:** clothing, user interface

**11 Near-term distributed simulation of apparel manufacturing**

Roy P. Pargas, John C. Peck, Prashant K. Khambekar, Satish K. Dharmaraj  
December 1990 **Proceedings of the 22nd conference on Winter simulation**

**Publisher:** IEEE Press

Full text available:  [pdf\(595.53 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)



**12 Rotational polygon overlap minimization**

 Victor J. Milenkovic  
August 1997 **Proceedings of the thirteenth annual symposium on Computational geometry**

**Publisher:** ACM Press

Full text available:  [pdf\(1.42 MB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)



**13 Interactive and experiential design in smart textile products and applications**

Sharon Baurley  
July 2004 **Personal and Ubiquitous Computing**, Volume 8 Issue 3-4

**Publisher:** Springer-Verlag

Full text available:  [pdf\(278.17 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

The technical textiles industry in the USA and the EU is growing. As we advance into the knowledge age, objects and material technology will disappear into our material environment, turning unintelligent objects into active and intelligent participants in our lives. As much of our environment is made up from textile materials, they will be the targets of smart engineering. The future of smart textiles will rely on the convergence of electrochemistry and textiles in order to process electronic po ...



**Keywords:** Experience and emotion, Hybrid industries, Interaction design, Ubiquitous intelligence

**14 Social weight: designing to minimise the social consequences arising from technology use by the mobile professional**

Aaron Toney, Barrie Mulley, Bruce H. Thomas, Wayne Piekarski  
October 2003 **Personal and Ubiquitous Computing**, Volume 7 Issue 5

**Publisher:** Springer-Verlag

Full text available:  [pdf\(431.74 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)



This paper defines the concept of social weight as a design consideration and presents the e-SUIT, a social weight research platform incorporated covertly within a traditional business suit. The e-SUIT allows its user to strike a balance between a given technology's derived benefit and its social consequence. As the e-SUIT is designed for research within a business context, it is built upon commercially available enterprise software. This work is a first step towards subjecting the empirical soc ...

**Keywords:** Mobile professional, Social weight, Wearable

**15 Creating a flexible, simulation-based finite scheduling tool**



Barbara Werner Mazziotti, Richard Edward Horne  
December 1997 **Proceedings of the 29th conference on Winter simulation**

Publisher: ACM Press

Full text available: [pdf\(811.59 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

16 A compaction algorithm for non-convex polygons and its application

Zhenyu Li, Victor Milenkovic  
July 1993 **Proceedings of the ninth annual symposium on Computational geometry**

Publisher: ACM Press

Full text available: [pdf\(1.16 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Given a two dimensional, non-overlapping layout of convex and non-convex polygons, compaction can be thought of as simulating the motion of the polygons as a result of applied "forces." Compaction can be modeled as a motion of the polygons that reduces the value of some linear functional on their positions. Optimal compaction, planning a motion that finds the global minimum reachable value, is shown to be NP-complete. We give a compaction algori ...

17 Columns: Computer graphics around the world: computer graphics in Hong Kong

Zhigeng Pan, Pheng-ann Heng, Rynson W. H. Lau  
February 2000 **ACM SIGGRAPH Computer Graphics**, Volume 34 Issue 1

Publisher: ACM Press

Full text available: [pdf\(930.13 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

Computer graphics has evolved to become an important discipline in both academia and industry, and an enabling technology for a broad variety of applications such as engineering (CAD, CAE and CAM), GIS, publishing and office applications. It can no longer be regarded as a confined discipline devoted solely to graphics standards or traditional techniques of 3D representations and rendering. The influence of computer graphics can be felt in almost all of today's key industrial areas, wherever comp ...

18 Teaching production line balancing with an interactive, simulation-based training

Barbara Werner Mazziotti, F. Bradley Armstrong, Kenneth A. Powell  
December 1993 **Proceedings of the 25th conference on Winter simulation**

Publisher: ACM Press

Full text available: [pdf\(212.16 KB\)](#) Additional Information: [full citation](#), [citations](#)

19 Creating a focused application simulator with flexible decision making capabilities

Barbara Werner Mazziotti, F. Bradley Armstrong  
December 1994 **Proceedings of the 26th conference on Winter simulation**

Publisher: Society for Computer Simulation International

Full text available: [pdf\(839.17 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** Data-Driven Animation, Dual Resource Constrained systems, Focused Application Simulator & Trainer, The Line Balancing Decision Trainer, cross-trained operators, decision rules, generic models, interactive training, non-programming data entry, operator movement rules, scheduling rules, team manufacturing



20 [E-textiles: Challenges and opportunities in electronic textiles modeling and optimization](#)

 Diana Marculescu, Radu Marculescu, Pradeep K. Khosla  
June 2002 **Proceedings of the 39th conference on Design automation**

Publisher: ACM Press

Full text available:  [pdf\(769.90 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper addresses an emerging new field of research that combines the strengths and capabilities of electronics and textiles in one: electronic textiles, or e-textiles. E-textiles, also called Smart Fabrics, have not only "wearable" capabilities like any other garment, but also local monitoring and computation, as well as wireless communication capabilities. Sensors and simple computational elements are embedded in e-textiles, as well as built into yarns, with the goal of gathering sensitive ...

Results 1 - 20 of 184

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
**Search:** [The ACM Digital Library](#) [The Guide](#)

(apparel OR clothing OR garment) thermal CAD

**SEARCH**
[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used apparel OR clothing OR garment thermal CAD

Found 604 of 176,279

Sort results by relevance

 Save results to a BinderTry an [Advanced Search](#)

Display results expanded form

 Search TipsTry this search in [The ACM Guide](#) Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale

**1 Three dimensional apparel CAD system**

Hidehiko Okabe, Haruki Imaoka, Takako Tomiha, Haruo Niwaya

 July 1992 **ACM SIGGRAPH Computer Graphics , Proceedings of the 19th annual conference on Computer graphics and interactive techniques SIGGRAPH '92**, Volume 26 Issue 2
**Publisher:** ACM PressFull text available: pdf(4.71 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**2 Session 3: 3D virtual clothing: from garment design to web3d visualization and simulation**

Luca Chittaro, Demis Corvaglia

 March 2003 **Proceeding of the eighth international conference on 3D Web technology**
**Publisher:** ACM PressFull text available: pdf(3.06 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

One of the major challenges in Computer Graphics concerns the 3D representation and physically-based simulation of garments. In our research, we are working closely with the textile industry, investigating three different classes of problems. First, we aim at developing techniques and methods for cloth simulation specifically aimed at the Web3D context. Second, we are defining a cross-application data exchange format among the different CAD systems and applications used in the textile industry, ...

**Keywords:** CAD tools for garment design, VRML/Java, XML, cross-application data exchange format for the textile industry, physically-based simulation, product visualization, virtual clothing

**3 Can we get there from here? (panel): current challenges in cloth design, modeling and animation**

David E. Breen, Jeffrey W. Eischen, Michael Kass, Nadia Magnenat Thalmann, Maurizio Vecchione

 August 1997 **Proceedings of the 24th annual conference on Computer graphics and interactive techniques**
**Publisher:** ACM Press/Addison-Wesley Publishing Co.Full text available: pdf(2.03 MB) Additional Information: [full citation](#), [references](#)

#### 4 Smart Clothing Prototype for the Arctic Environment

J. Rantanen, J. Impiö, T. Karinsalo, M. Malmivaara, A. Reho, M. Tasanen, J. Vanhala  
 January 2002 **Personal and Ubiquitous Computing**, Volume 6 Issue 1

**Publisher:** Springer-Verlag

Full text available:  [pdf\(270.59 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

Continuous miniaturisation of electronic components has made it possible to create smaller and smaller electrical devices which can be worn and carried all the time. Together with developing fibre and textile technologies, this has enabled the creation of truly usable smart clothes that resemble clothes more than wearable computing equipment. These intelligent clothes are worn like ordinary clothing and provide help in various situations according to the application area. This paper describes th ...

#### 5 Cloth & deformable bodies: Simulation of clothing with folds and wrinkles

R. Bridson, S. Marino, R. Fedkiw

July 2003 **Proceedings of the 2003 ACM SIGGRAPH/Eurographics symposium on Computer animation SCA '03**

**Publisher:** Eurographics Association

Full text available:  [pdf\(251.40 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Clothing is a fundamental part of a character's persona, a key storytelling tool used to convey an intended impression to the audience. Draping, folding, wrinkling, stretching, etc. all convey meaning, and thus each is carefully controlled when filming live actors. When making films with computer simulated cloth, these subtle but important elements must be captured. In this paper we present several methods essential to matching the behavior and look of clothing worn by digital stand-ins to their ...

#### 6 Large steps in cloth simulation

 David Baraff, Andrew Witkin

July 1998 **Proceedings of the 25th annual conference on Computer graphics and interactive techniques**

**Publisher:** ACM Press

Full text available:  [pdf\(465.12 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** cloth, constraints, implicit integration, physically-based modeling, simulation

#### 7 Robust treatment of collisions, contact and friction for cloth animation

 Robert Bridson, Ronald Fedkiw, John Anderson

July 2002 **ACM Transactions on Graphics (TOG) , Proceedings of the 29th annual conference on Computer graphics and interactive techniques SIGGRAPH '02**, Volume 21 Issue 3

**Publisher:** ACM Press

Full text available:  [pdf\(3.74 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We present an algorithm to efficiently and robustly process collisions, contact and friction in cloth simulation. It works with any technique for simulating the internal dynamics of the cloth, and allows true modeling of cloth thickness. We also show how our simulation data can be post-processed with a collision-aware subdivision scheme to produce smooth and interference free data for rendering.

**Keywords:** cloth, collision detection, collision response, contacts, kinetic friction, physically based animation, static friction

#### 8 Predicting the drape of woven cloth using interacting particles

 David E. Breen, Donald H. House, Michael J. Wozny

July 1994 **Proceedings of the 21st annual conference on Computer graphics and interactive techniques**

**Publisher:** ACM Press

Full text available:  pdf(483.23 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)  
 ps(5.47 MB)

We demonstrate a physically-based technique for predicting the drape of a wide variety of woven fabrics. The approach exploits a theoretical model that explicitly represents the microstructure of woven cloth with interacting particles, rather than utilizing a continuum approximation. By testing a cloth sample in a Kawabata fabric testing device, we obtain data that is used to tune the model's energy functions, so that it reproduces the draping behavior of the original material. Photographs, ...

**Keywords:** Kawabata Evaluation System, cloth, drape, particle systems, physically-based modeling

#### 9 Papers: managing user interaction: Clothing manipulation

 Takeo Igarashi, John F. Hughes

October 2002 **Proceedings of the 15th annual ACM symposium on User interface software and technology**

**Publisher:** ACM Press

Full text available:  pdf(1.45 MB)  mov(306.00 bytes) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)  
 wmv(306.00 bytes)

This paper presents interaction techniques (and the underlying implementations) for putting clothes on a 3D character and manipulating them. The user paints freeform marks on the clothes and corresponding marks on the 3D character; the system then puts the clothes around the body so that corresponding marks match. Internally, the system grows the clothes on the body surface around the marks while maintaining basic cloth constraints via simple relaxation steps. The entire computation takes ...

**Keywords:** clothing, user interface

#### 10 Columns: Computer graphics around the world: computer graphics in Hong Kong

 Zhigeng Pan, Pheng-ann Heng, Rynson W. H. Lau

February 2000 **ACM SIGGRAPH Computer Graphics**, Volume 34 Issue 1

**Publisher:** ACM Press

Full text available:  pdf(930.13 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

Computer graphics has evolved to become an important discipline in both academia and industry, and an enabling technology for a broad variety of applications such as engineering (CAD, CAE and CAM), GIS, publishing and office applications. It can no longer be regarded as a confined discipline devoted solely to graphics standards or traditional techniques of 3D representations and rendering. The influence of computer graphics can be felt in almost all of today's key industrial areas, wherever comp ...

#### 11 Natural objects: Real-time cloth simulation for garment CAD



Napaporn Metaaphanon, Pizzanu Kanongchaiyos

November 2005 **Proceedings of the 3rd international conference on Computer graphics and interactive techniques in Australasia and South East Asia GRAPHITE '05****Publisher:** ACM PressFull text available: [pdf\(373.28 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

For decades, Computer Graphics has played an important role in many kinds of design works, especially, industrial design of solid objects. However, most available methods can not work well for soft and deformable object like cloth. The quality of works mostly depends on the efficiency of hardware as same as the cloth and garment pattern modeling methods. In this research, real time cloth modeling for costume design and making is proposed using mass-spring model and cellular structure space model ...

**Keywords:** cellular structured space, cloth model, garment model, human model mass-spring model

## **12 Rotational polygon overlap minimization**



Victor J. Milenkovic

August 1997 **Proceedings of the thirteenth annual symposium on Computational geometry****Publisher:** ACM PressFull text available: [pdf\(1.42 MB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)

## **13 Columns: Computer graphics around the world: computer graphics in China: an overview**



Jiaoying Shi, Zhigeng Pan

May 2001 **ACM SIGGRAPH Computer Graphics**, Volume 35 Issue 2**Publisher:** ACM PressFull text available: [pdf\(6.29 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

Computer graphics has become an important discipline in both academia and industry, and an enabling technology for a broad variety of applications such as engineering (CAD, CAE and CAM), geographic information systems (GIS), publishing, office applications, games and the filmmaking industry. Graphics is also integrated to Internet application systems, and graphics and image techniques are combined together in some special applications. Computer graphics can no longer be regarded as a confined di ...

## **14 A compaction algorithm for non-convex polygons and its application**



Zhenyu Li, Victor Milenkovic

July 1993 **Proceedings of the ninth annual symposium on Computational geometry****Publisher:** ACM PressFull text available: [pdf\(1.16 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Given a two dimensional, non-overlapping layout of convex and non-convex polygons, compaction can be thought of as simulating the motion of the polygons as a result of applied "forces." Compaction can be modeled as a motion of the polygons that reduces the value of some linear functional on their positions. Optimal compaction, planning a motion that finds the global minimum reachable value, is shown to be NP-complete. We give a compaction algori ...

## **15 E-textiles: Challenges and opportunities in electronic textiles modeling and optimization**



Diana Marculescu, Radu Marculescu, Pradeep K. Khosla  
**June 2002 Proceedings of the 39th conference on Design automation**

**Publisher:** ACM Press

Full text available: [pdf\(769.90 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper addresses an emerging new field of research that combines the strengths and capabilities of electronics and textiles in one: electronic textiles, or e-textiles. E-textiles, also called Smart Fabrics, have not only "wearable" capabilities like any other garment, but also local monitoring and computation, as well as wireless communication capabilities. Sensors and simple computational elements are embedded in e-textiles, as well as built into yarns, with the goal of gathering sensitive ...

**16 Translational polygon containment and minimal enclosure using linear programming based restriction**



Victor J. Milenkovic

July 1996 **Proceedings of the twenty-eighth annual ACM symposium on Theory of computing**

**Publisher:** ACM Press

Full text available: [pdf\(1.14 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)



**17 Virtual reality I: Automatic pre-positioning of virtual clothing**



Clemens Groß, Arnulf Fuhrmann, Volker Luckas

April 2003 **Proceedings of the 19th spring conference on Computer graphics**

**Publisher:** ACM Press

Full text available: [pdf\(432.72 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)



In this paper we present a method for dressing virtual humans using CAD cloth data. Our method is based on the idea of geometric pre-positioning and physically-based simulation for end-positioning. The geometric pre-positioning algorithm places several pieces of clothing automatically and simultaneously around the human body in such a way that the final fitting can be computed efficiently by a physically-based cloth simulation. The dressed virtual humans look realistic and our dressing method ca ...

**Keywords:** cloth modeling, physically based simulation

**18 Session 2C: techniques and applications (short papers): Tailor tools for interactive design of clothing in virtual environments**



Michael Keckisen, Matthias Feurer, Markus Wacker

November 2004 **Proceedings of the ACM symposium on Virtual reality software and technology VRST '04**

**Publisher:** ACM Press

Full text available: [pdf\(485.31 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)



In this work, we present virtual tailor tools which allow the interactive design and modification of clothing in a 3D Virtual Environment. In particular, we propose algorithms and interaction techniques for sewing and cutting garments during a physical cloth simulation, including the automatic modification of the underlying planar cloth patterns.

**Keywords:** cloth modelling and simulation, interaction techniques, interactive design, virtual prototyping

**19 Stigma and the sensorial experience of objects: The fabric of society: a proposal to**

 **investigate the emotional and sensory experience of wearing denim clothing** 

Fiona Jane Candy

June 2003 **Proceedings of the 2003 international conference on Designing pleasurable products and interfaces**

Publisher: ACM Press

Full text available:  pdf(403.24 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper introduces a project that intends to utilise research methods derived from experience within Art and Design, to investigate the sensory and emotional experience of wearing denim clothing in public. The researcher will provide an explanation of context and identify the range of research methods under consideration. The project is based on the premise that as a 21st century mass-produced product, denim typifies the processes inherent within design and commercial culture. Although cultur ...

**Keywords:** denim, design, identity, jeans, material culture, society

20 **Interaction techniques: A comparative study on user performance in the Virtual Dressmaker application** 

 Markus Wacker, Stanislav L. Stoev, Michael Keckeisen, Wolfgang Straßer

October 2003 **Proceedings of the ACM symposium on Virtual reality software and technology**

Publisher: ACM Press

Full text available:  pdf(275.82 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

We report on a user study, investigating the efficiency of user interaction in a Virtual Reality application compared to 3D desktop applications. The Virtual Dressmaker is a Virtual Reality application for virtual cloth design, assembly, and simulation that supports advanced 6DoF interaction techniques. We conjecture that these interaction techniques are more natural for the users and lead to faster and more precise results than common desktop applications. In our user study we investigate interac ...

**Keywords:** cloth modelling and simulation, human performance in VR, interaction techniques, navigation tools, user study

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
[Search:](#)  The ACM Digital Library  The Guide

 [Feedback](#) [Report a problem](#) [Satisfaction survey](#)

## Three dimensional apparel CAD system

**Full text**  [Pdf \(4.71 MB\)](#)

**Source** [International Conference on Computer Graphics and Interactive Techniques archive](#)  
[Proceedings of the 19th annual conference on Computer graphics and interactive techniques table of contents](#)  
 Pages: 105 - 110  
 Year of Publication: 1992  
 ISSN:0097-8930  
[Also published in ...](#)

**Authors** [Hidehiko Okabe](#) Research Institute for Polymers and Textiles, 1-14, Higashi, Tsukuba, 305 Japan

[Haruki Imaoka](#) Nara Women's University, Kits-uoya-nisimachi, Nara, 630 Japan

[Takako Tomiha](#) Toray Industries, Inc., Engineering Research Labs., 3-3-1, Sonoyama, Otsu, 520 Japan

[Haruo Niwaya](#) Research Institute for Polymers and Textiles, 1-14, Higashi, Tsukuba, 305 Japan

**Sponsor** [SIGGRAPH: ACM Special Interest Group on Computer Graphics and Interactive Techniques](#)

**Publisher** ACM Press New York, NY, USA

**Additional Information:** [references](#) [citations](#) [index terms](#) [collaborative colleagues](#) [peer to peer](#)

**Tools and Actions:** [Discussions](#) [Find similar Articles](#) [Review this Article](#)  
[Save this Article to a Binder](#) [Display Formats: BibTex](#) [EndNote](#) [ACM Ref](#)

**DOI Bookmark:** Use this link to bookmark this Article: <http://doi.acm.org/10.1145/133994.134019>

[What is a DOI?](#)

## ↑ REFERENCES

Note: OCR errors may be found in this Reference List extracted from the full text article. ACM has opted to expose the complete List rather than only correct and linked references.

1 Amirbayat and J. W. S. Hearle, "The Complex Buckling of Flexible Sheet Materials - Part I. Theoretical Approach", International Journal of Mechanical Sciences 28 (1986), 339.

2 M. Aono, A wrinkle propagation model for cloth, Proceedings of the eighth international conference of the Computer Graphics Society on CG International '90: computer graphics around the world, p.95-115, July 1990, Institute of Systems Science, Singapore

3 J. -L. Delaporte and R. Soenen, (personal communication).

4 Brian Von Herzen , Alan H. Barr , Harold R. Zatz, Geometric collisions for time-dependent parametric surfaces, ACM SIGGRAPH Computer Graphics, v.24 n.4, p.39-48, Aug. 1990

5 H. Imaoka, H. Okabe, H. Akami, et al., "Analysis of Deformations in Textile Fabrics", Sen-i Gakkaishi 44 (1988)t, 217.

6 H. Imaoka, H. Okabe, R. Matsuda, et al., "Estimation Method of Textile Deformation - In the C~e of Two-Dimensional Problem", *Sen-i Gakkaishi* 44 (1988)v, 229.

7 H. Imaoka, H. Okabe, T. Tomiha, et al, "Prediction of Three- Dimensional Shapes of Garments from Two-Dimensional Paper Patterns", *Sen-i Gakkaishi* 45 (1989)t, 420.

8 H. Imaoka, A. Shibuya, N. Aisaka, "Automatic Paper Pattern Making Using Mechanical Development Method of a Curved Surface on a Plane Surface", *Sen-i Gakkaishi* 45 (1989)t, 427.

9 B. Lafleur, N. Magnenat-Thalmann and D. Thalmann, "Cloth Animation with Self-Collision Detection", *Proceedings of IFIP WGS.I 0 - Modeling in Computer Graphics* (1991 ), 179.

10 H. Niwaya, H. Imaoka, A. Shibuya and N. Aisaka, "Predicting Method of Contact Pressure of Fabrics", *Sen-i Gakkaishi* 45 (1989)t, 427.

11 H. Okabe, H. Imaoka, T. Tomiha, et al., "Transformation from Paper Pattern to Spatial Structure of Dress by Computer - Simulation of Sewing and Dressing", *Sen-i Gakkaishi* 44 (1988)t, 129.

12 H. Okabe and T. Ikawa, "Point Matching for Stereoscopy by Bayesian Inference", *Computer Vision Graphics and Image Processing* (submitted).

13 T. Sengan, (personal communication)t.

14 W. J. Shanahan, D. W. Lloyd and J. W. S. Hearle, "Characterizing the Elastic Behavior of Textile Fabrics in Complex Deformations", *Textile Research Journal* 48 (1978), 495.

15 Demetri Terzopoulos , John Platt , Alan Barr , Kurt Fleischer, Elastically deformable models, ACM SIGGRAPH Computer Graphics, v.21 n.4, p.205-214, July 1987

16 Jerry Weil, The synthesis of cloth objects, ACM SIGGRAPH Computer Graphics, v.20 n.4, p.49-54, Aug. 1986

17 T. Yasuda and S. Yokoi, "Shading Model to express the texture of cloth", *Nikkei Computer Graphics* 1990, 2 (February 1990)t, 150.

## ↑ CITINGS 6

David Baraff , Andrew Witkin, Large steps in cloth simulation, Proceedings of the 25th annual conference on Computer graphics and interactive techniques, p.43-54, July 1998

Therese Bonte , Andrea Galimberti , Caterina Rizzi, A 3D graphic environment for garments design, From geometric modeling to shape modeling, Kluwer Academic Publishers, Norwell, MA, 2002

Hing N. Ng , Richard L. Grimsdale, Computer Graphics Techniques for Modeling Cloth, IEEE Computer Graphics and Applications, v.16 n.5, p.28-41, September 1996

David E. Breen , Donald H. House , Michael J. Wozny, Predicting the drape of woven cloth using interacting particles, Proceedings of the 21st annual conference on Computer graphics and interactive techniques, p.365-372, July 1994

R. Bridson , S. Marino , R. Fedkiw, Simulation of clothing with folds and wrinkles, Proceedings of the 2003 ACM SIGGRAPH/Eurographics Symposium on Computer Animation, July 26-27, 2003, San Diego, California

Robert Bridson , Ronald Fedkiw , John Anderson, Robust treatment of collisions, contact and friction for cloth animation, ACM Transactions on Graphics (TOG), v.21 n.3, July 2002

#### ↑ INDEX TERMS

**Primary Classification:**

I. Computing Methodologies

↳ I.3 COMPUTER GRAPHICS

↳ I.3.5 Computational Geometry and Object Modeling

↳ **Subjects:** Curve, surface, solid, and object representations

**Additional Classification:**

I. Computing Methodologies

↳ I.3 COMPUTER GRAPHICS

J. Computer Applications

↳ J.6 COMPUTER-AIDED ENGINEERING

↳ **Subjects:** Computer-aided design (CAD)

**General Terms:**

Algorithms, Design

#### ↑ Collaborative Colleagues:

Haruki Imaoka: Haruo Niwaya  
Hidehiko Okabe  
Takako Tomiha

Haruo Niwaya: Haruki Imaoka  
Hidehiko Okabe  
Takako Tomiha

Hidehiko Okabe: Haruki Imaoka  
Haruo Niwaya  
Takako Tomiha

Takako Tomiha: Haruki Imaoka  
Haruo Niwaya  
Hidehiko Okabe

#### ↑ Peer to Peer - Readers of this Article have also read:

- Data structures for quadtree approximation and compression  
**Communications of the ACM** 28, 9  
Hanan Samet
- A hierarchical single-key-lock access control using the Chinese remainder theorem  
**Proceedings of the 1992 ACM/SIGAPP Symposium on Applied computing**  
Kim S. Lee , Huizhu Lu , D. D. Fisher
- The GemStone object database management system  
**Communications of the ACM** 34, 10  
Paul Butterworth , Allen Otis , Jacob Stein

- Putting innovation to work: adoption strategies for multimedia communication systems  
**Communications of the ACM** 34, 12  
Ellen Francik , Susan Ehrlich Rudman , Donna Cooper , Stephen Levine

- An intelligent component database for behavioral synthesis  
**Proceedings of the 27th ACM/IEEE conference on Design automation**  
Gwo-Dong Chen , Daniel D. Gajski

↑ This Article has also been published in:

- ACM SIGGRAPH Computer Graphics  
Volume 26 , Issue 2 (July 1992)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)